

2003 Premiums and Discounts (P & D's) and Additional Discounts for Wheat, Barley and Oats

**A Wheat P & D's**

These tables provide the **P & D's** for **2003** crop year **Wheat**.

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Grade and Subclass Premium</b>				
• U.S. No. 2 or Better Club Wheat	\$.00			
<b>Durum Subclass</b>				
• Amber Durum			.10	
• Hard Amber Durum			.30	
<b>Protein Percent</b>				
• Soft White Wheat • Premiums apply only to wheat grading U.S. No. 2 or better				
10.0 and below			\$.02	
• Hard Red Winter • Hard White Wheat • Premiums apply only to wheat grading U.S. No. 2 or better • Discounts apply to all Grades				
8.9 and below		\$.23		\$.23
9.0 - 9.1		.20		.20
9.2 - 9.3		.17		.17
9.4 - 9.5		.14		.14
9.6 - 9.7		.11		.11
9.8 - 9.9		.08		.08

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Grade and Subclass Premium (Cont'd.)</b>				
10.0 - 10.1		.05		.05
10.2 - 10.3		.04		.04
10.4 - 10.5		.03		.03
10.6 - 10.7		.02		.02
10.8 - 10.9		.01		.01
11.0- 11.1		.00		.00
11.2 - 11.3	\$.01		\$.01	
11.4 - 11.5	.02		.02	
11.6 - 11.7	.03		.03	
11.8 - 11.9	.04		.04	
12.0 - 12.1	.05		.05	
12.2 - 12.3	.07		.07	
12.4 - 12.5	.09		.09	
12.6 - 12.7	.11		.11	
12.8 - 12.9	.13		.13	
13.0 and over	.15		.15	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent</b>				
<ul style="list-style-type: none"> <li>Hard Red Spring</li> <li>Premiums apply only to wheat grading U.S. No. 2 or better</li> <li>Discounts apply to all grades</li> </ul>				
8.9 and below		\$.48		\$.48
9.0 - 9.1		.45		.45
9.2 - 9.3		.42		.42
9.4 - 9.5		.39		.39
9.6 - 9.7		.36		.36
9.8 - 9.9		.33		.33
10.0 - 10.1		.30		.30
10.2 - 10.3		.27		.27
10.4 - 10.5		.24		.24
10.6 - 10.7		.21		.21
10.8 - 10.9		.18		.18
11.0 - 11.1		.15		.15
11.2 - 11.3		.12		.12
11.4 - 11.5		.09		.09
11.6 - 11.7		.06		.06
11.8 - 11.9		.03		.03
12.0- 12.1	\$.00	.00	\$.00	.00
12.2- 12.3	.01		.01	
12.4- 12.5	.02		.02	
12.6- 12.7	.03		.03	
12.8- 12.9	.04		.04	
13.0- 13.1	.05		.05	
13.2- 13.3	.06		.06	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Protein Percent</b>				
<ul style="list-style-type: none"> <li>• Hard Red Spring</li> <li>• Premiums applicable to Grade U.S. No. 2 or better</li> <li>• Discounts applicable to all Grades</li> </ul>				
13.4- 13.5	.07		.07	
13.6- 13.7	.08		.08	
13.8- 13.9	.09		.09	
14.0- 14.1	.10		.10	
14.2 - 14.3	.12		.12	
14.4- 14.5	.14		.14	
14.6- 14.7	.16		.16	
14.8- 14.9	.18		.18	
15.0 and over	.20		.20	

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Grade Discount:</b>				
• <b>All Classes</b>				
Grade U.S. No. 3		\$.20		
Grade U.S. No. 4		.40		
Grade U.S. No. 5		.65		
• <b>Hard Red Winter, Soft White Wheat, Hard White Wheat</b>				
Grade U.S. No. 3				\$.10
Grade U.S. No. 4				.15
Grade U.S. No. 5				.30
• <b>Hard Red Spring</b>				
Grade U.S. No. 3				\$.20
Grade U.S. No. 4				.40
Grade U.S. No. 5				.65
• <b>Durum and Soft Red Winter</b>				
Grade U.S. No. 3				\$.30
Grade U.S. No. 4				.60
Grade U.S. No. 5				.90

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Class Discounts - Mixed Wheat:</b>  <b>Note:</b> Unclassed wheat and the class Red Durum are ineligible for loan		Mixed Wheat \$.25		Mixed Wheat \$.25
For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent		.05		.05
For each 1.0 percent of mixtures of contrasting classes over 10.0 percent		.05		.05
<b>Special Grade Discount:</b>				
<b>Smut:</b> • Light Smutty		\$.10		\$.10
• Smutty		.20		.20
<b>Garlic:</b> • Each garlic bulblet		\$.01		\$.01

**A Wheat P&D's (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Insect Damaged Kernels (IDK):		
11		\$.01
12		.02
13		.03
14		.04
15		.05
16		.06
17		.07
18		.08
19		.09
20		.10
21		.12
22		.14
23		.16
24		.18
25		.20
26		.22
27		.24
28		.26
29		.28
30		.30
31		.32
32		For 32 and up IDK, See 8-LP, paragraph 1015

**A Wheat P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
• Dockage Discounts				
0.71 - 0.80		\$ .01		\$ .01
0.81 - 0.90		.02		.02
0.91 - 1.00		.03		.03
1.01 - 1.10		.045		.045
1.11 - 1.20		.06		.06
1.21 - 1.30		.075		.075
1.31 - 1.40		.09		.09
1.41 - 1.50		.105		.105
For each 0.1 percent or fraction thereof over 1.50 apply an additional		.02		.02



## B Wheat Additional Discounts

These tables provide the **Additional Discounts** for **2003** crop year **Wheat**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
<b>Grade Discount:</b> <ul style="list-style-type: none"> <li>• <b>Sample Grade Discount by class:</b></li> </ul>	\$.70 for 2001 crop \$.70 for 2000 crop \$.50 for 1999 crop	
• HRW, SWW, HWW		\$.70
• HRS		.70
• DUM and SRW		1.00
Heat-Damaged Kernels Percent for All Classes:		
3.1 - 3.2	\$.02	\$.02
3.3 - 3.4	.04	.04
3.5 - 3.6	.06	.06
3.7 - 3.8	.08	.08
3.9 - 4.0	.10	.10
4.1 - 4.2	.12	.12
4.3 - 4.4	.14	.14
4.5 - 4.6	.16	.16
4.7 - 4.8	.18	.18
4.9 - 5.0	.20	.20
5.1 - 5.2	.22	.22
5.3 - 5.4	.24	.24
5.5 - 5.6	.26	.26
5.7 - 5.8	.28	.28
5.9 - 6.0	.30	.30
For each .2 percent or fraction thereof over 6.0 percent	\$.02	\$.02

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Damaged Kernels (Total) Percent:		
15.1 - 16.0	\$.03	\$.03
16.1 - 17.0	.06	.06
17.1 - 18.0	.09	.09
18.1 - 19.0	.12	.12
19.1 - 20.0	.15	.15
20.1 - 21.0	.18	.18
21.1 - 22.0	.21	.21
22.1 - 23.0	.24	.24
23.1 - 24.0	.27	.27
24.1 - 25.0	.30	.30
25.1 - 26.0	.33	.33
26.1 - 27.0	.36	.36
27.1 - 28.0	.39	.39
28.1 - 29.0	.42	.42
29.1 - 30.0	.45	.45
For each whole percent or fraction of a percent over 30 percent	\$.03	\$.03

**B Wheat Additional Discounts (Continued)**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2002</b>	<b>Effective July 1, 2003</b>
	<b>Per Bushel</b>	<b>Per Bushel</b>
	<b>Discount</b>	<b>Discount</b>
<b>Moisture Percent (All Classes Except SRW):</b>		
13.6 - 13.7	\$.01	\$.01
13.8 - 14.0	.02	.02
14.1 - 14.2	.04	.04
14.3 - 14.5	.06	.06
14.6 - 14.7	.08	.08
14.8 - 15.0	.10	.10
15.1 - 15.2	.13	.13
15.3 - 15.5	.16	.16
15.6 - 15.7	.19	.19
15.8 - 16.0	.22	.22
16.1 - 16.2	.25	.25
16.3 - 16.5	.28	.28
16.6 - 16.7	.31	.31
16.8 - 17.0	.34	.34
17.1 - 17.2	.37	.37
17.3 - 17.5	.40	.40
17.6 - 17.7	.43	.43
17.8 - 18.0	.46	.46
18.1 - 18.2	.49	.49
18.3 - 18.5	.52	.52
18.6 - 18.7	.55	.55
18.8 - 19.0	.58	.58

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent (All classes except SRW), Contd.:		
19.1 - 19.2	\$.61	\$.61
19.3 - 19.5	.64	.64
19.6 - 19.7	.67	.67
19.8 - 20.0	.70	.70
20.1 - 20.2	.73	.73
20.3 - 20.5	.76	.76
20.6 - 20.7	.79	.79
20.8 - 21.0	.82	.82
21.1 - 21.2	.85	.85
21.3 - 21.5	.88	.88
21.6 - 21.7	.91	.91
21.8 - 22.0	.94	.94
22.1 - 22.2	.97	.97
22.3 - 22.5	1.00	1.00
22.6 - 22.7	1.03	1.03
22.8 - 23.0	1.06	1.06
23.1 - 23.2	1.09	1.09
23.3 - 23.5	1.12	1.12
23.6 - 23.7	1.15	1.15
23.8 - 24.0	1.18	1.18
24.1 - 24.2	1.21	1.21
24.3 - 24.5	1.24	1.24
24.6 - 24.7	1.27	1.27
24.8 - 25.0	1.30	1.30
For each .2 percent or fraction thereof over 25 percent	\$.03	\$.03

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent (For SRW):		
13.6 - 13.7	\$.01	\$.03
13.8 - 14.0	.02	.06
14.1 - 14.2	.04	.09
14.3 - 14.5	.06	.12
14.6 - 14.7	.08	.15
14.8 - 15.0	.10	.18
15.1 - 15.2	.13	.21
15.3 - 15.5	.16	.24
15.6 - 15.7	.19	.27
15.8 - 16.0	.22	.30
16.1 - 16.2	.25	.33
16.3 - 16.5	.28	.36
16.6 - 16.7	.31	.39
16.8 - 17.0	.34	.42
17.1 - 17.2	.37	.45
17.3 - 17.5	.40	.48
17.6 - 17.7	.43	.51
17.8 - 18.0	.46	.54
18.1 - 18.2	.49	.57
18.3 - 18.5	.52	.60
18.6 - 18.7	.55	.63
18.8 - 19.0	.58	.66

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent (For SRW), Contd.:		
19.1 - 19.2	\$.61	\$.69
19.3 - 19.5	.64	.72
19.6 - 19.7	.67	.75
19.8 - 20.0	.70	.78
20.1 - 20.2	.73	.81
20.3 - 20.5	.76	.84
20.6 - 20.7	.79	.87
20.8 - 21.0	.82	.90
21.1 - 21.2	.85	.93
21.3 - 21.5	.88	.96
21.6 - 21.7	.91	.99
21.8 - 22.0	.94	1.02
22.1 - 22.2	.97	1.05
22.3 - 22.5	1.00	1.08
22.6 - 22.7	1.03	1.11
22.8 - 23.0	1.06	1.14
23.1 - 23.2	1.09	1.17
23.3 - 23.5	1.12	1.20
23.6 - 23.7	1.15	1.23
23.8 - 24.0	1.18	1.29
24.1 - 24.2	1.21	1.29
24.3 - 24.5	1.24	1.32
24.6 - 24.7	1.27	1.35
24.8 - 25.0	1.30	1.38
For each .2 percent or fraction thereof over 25 percent	\$ .03	\$.03

**B Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002		Effective July 1, 2003	
	Per Bushel		Per Bushel	
	Discount		Discount	
Test Weight (Pounds):	Hard Red Spring and White Club	All Other Classes and Subclasses	Hard Red Spring and White Club	All Other Classes and Subclasses
50.9 - 50.0		\$.06		\$.06
49.9 - 49.0	\$.02	.12	\$.02	.12
48.9 - 48.0	.04	.18	.04	.18
47.9 - 47.0	.06	.24	.06	.24
46.9 - 46.0	.08	.30	.08	.30
45.9 - 45.0	.10	.36	.10	.36
44.9 - 44.0	.13	.42	.13	.42
43.9 - 43.0	.16	.48	.16	.48
42.9 - 42.0	.19	.54	.19	.54
41.9 - 41.0	.22	.60	.22	.60
40.9 - 40.0	.25	.66	.25	.66
For each whole pound or fraction of a pound under 40.0 pounds per bushel	\$.03	\$.06	\$.03	\$.06
Infested	\$.10		\$.10	
Musty	\$.10		\$.10	
Sour	\$.25		\$.25	
Heating	\$.25		\$.25	
COFO	\$.50		\$.50	

**C Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002		Effective July 1, 2003	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Falling Number Discount</b>				
299 - 250		\$.25		
249 - 200		\$.50		
199 - 150		\$.75		
149 and below				
<b>Falling Number Discount for All Classes</b>				
299 - 250				\$.30
249 - 200				\$.55
199 - 150				\$.80
149 and below				additional \$.01 each point
<b>Durum Discount</b>				
• <b>Hard Vitreous Amber Color</b>				
59		\$.03		\$.03
58		.06		\$.06
57		.09		\$.09
56 and below				additional \$.03 each point



**C Wheat Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002		Effective July 1, 2003	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Vomitoxin Level:</b>				
<ul style="list-style-type: none"> <li><b>Applies To All Wheat Classes</b></li> </ul> <b>2 parts per million or less, determine the settlement rate in the normal manner</b>				
2.1 - 3.0 parts per million		\$.50		\$.50
3.1 - 4.0 parts per million		.75		.75
4.1 - 5.0 parts per million		1.00		1.00
<b>more than 5 parts per million, the wheat shall have a settlement value of zero.</b>				

## D Barley P & D's

This table provides the P & D's for **2003** crop year **Barley**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
Grade U.S. No. 3		\$.15		\$.15
Grade U.S. No. 4		.25		.25
Grade U.S. No. 5		.35		.35
<b>All Grades - Dockage Discount:</b>				
1.0 - 1.9 percent dockage		\$.01		\$.01
2.0 - 2.9 percent dockage		.03		.03
3.0 - 3.9 percent dockage		.04		.04
4.0 - 4.9 percent dockage		.05		.05
For each whole percent or fraction of a half percent over 4.9 percent		\$.01		\$.01
<b>All Grades - Special Grade Discount of Garlicky</b>		\$.10		\$.10
<b>Moisture Percent:</b>				
14.1		\$.01		\$.01
14.2		.02		.02
14.3		.03		.03
14.4		.04		.04
14.5		.05		.05

## E Barley Additional Discounts

These tables provide the Additional Discounts for **2003** crop year **Barley**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
<b>Grade Discount:</b> <ul style="list-style-type: none"> <li>Sample Grade</li> </ul>	\$.30 for 2001 crop \$.30 for 2000 crop \$.15 for 1999 crop	\$.35 for 2003 crop <span style="background-color: #FFD700;">\$.35 for 2002 crop</span> \$.30 for 2001 crop
<b>Thin Percent:</b>		
75.1 - 80.0	\$.05	\$.05
80.1 - 85.0	.10	.10
85.1 - 90.0	.15	.15
90.1 - 95.0	.20	.20
95.1 - <span style="background-color: #FFD700;">99.0</span>	.25	.25
<b>Test Weight (Pounds):</b>		
35.9 - 35.0	\$.02	\$.02
34.9 - 34.0	.04	.04
33.9 - 33.0	.06	.06
32.9 - 32.0	.08	.08
31.9 - 31.0	.10	.10
30.9 - 30.0	.12	.12
29.9 - 29.0	.14	.14
28.9 - 28.0	.16	.16
27.9 - 27.0	.18	.18
26.9 - 26.0	.20	.20
For each whole or fraction of a pound under 26.0 pounds per bushel	\$.01	\$.01

## E Barley Additional Discounts (Continued)

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Foreign Material Percent:		
5.1 - 6.0	\$.01	\$.01
6.1 - 7.0	.02	.02
7.1 - 8.0	.03	.03
8.1 - 9.0	.04	.04
9.1 - 10.0	.05	.05
10.1 - 11.0	.07	.07
11.1 - 12.0	.09	.09
12.1 - 13.0	.11	.11
13.1 - 14.0	.13	.13
14.1 - 15.0	.15	.15
15.1 - 16.0	.17	.17
For each whole or fraction of a percent over 16 percent	\$.02	\$.02
Heat-Damaged Kernels Percent:		
3.1	\$.02	\$.02
3.2	.04	.04
3.3	.06	.06
3.4	.08	.08
3.5	.10	.10
3.6	.12	.12
3.7	.14	.14
3.8	.16	.16
3.9	.18	.18
4.0	.20	.20
For each 10th of a percent over 4 percent	\$.02	\$.02

## E Barley Additional Discounts (Continued)

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Damaged Kernels (Total) Percent:		
10.1 - 11.0	\$.02	\$.02
11.1 - 12.0	.04	.04
12.1 - 13.0	.06	.06
13.1 - 14.0	.08	.08
14.1 - 15.0	.10	.10
For each whole percent or fraction of a percent over 15 percent	\$.05	\$.05
Moisture Percent:		
14.6	\$.06	\$.06
14.7	.07	.07
14.8	.08	.08
14.9	.09	.09
15.0	.10	.10
15.1	.11	.11
15.2	.12	.12
15.3	.13	.13
15.4	.14	.14
15.5	.15	.15
15.6	.16	.16
15.7	.17	.17
15.8	.18	.18
15.9	.19	.19
16.0	.20	.20
For each 10th of a percent over 16 percent	\$.01	\$.01

**E Barley Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Musty	\$.10	\$.10
Sour	\$.10	\$.10
Infested	\$.10	\$.10
Heating	\$.10	\$.10
COFO	\$.10	\$.10

## F Oats P & D's

These tables provide the P & D's for **2003** crop year **Oats**.

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Test Weight (Pounds):</b>				
35.9		\$.01		\$.01
35.0		.02		.02
34.9		.03		.03
34.0		.04		.04
33.9		.05		.05
33.0		.06		.06
32.9		\$.07		\$.07
32.0		.10		.10
31.9		.13		.13
31.0		.16		.16
30.9		.19		.19
30.0		.22		.22
<b>Moisture Percent:</b>				
13.5 - 13.7		\$.01		\$.01
13.8 - 14.0		.02		.02
<b>Foreign Material Percent:</b>				
3.1 - 3.5		\$.01		\$.01
3.6 - 4.0		.02		.02

**F Oats P & D's (Continued)**

Grade or Factor Description	Effective 2002 Crop		Effective 2003 Crop	
	Per Bushel		Per Bushel	
	Premium	Discount	Premium	Discount
<b>Heat Damaged Kernels Percent:</b>				
0.4 - 0.5		\$.01		\$.01
0.6		.02		.02
0.7		.03		.03
0.8		.04		.04
0.9		.05		.05
1.0		.06		.06
<b>Sound-Cultivated Oats Percent:</b>				
93.0 - 93.9		\$.02		\$.02
92.0 - 92.9		.04		.04
91.0 - 91.9		.06		.06
90.0 - 90.9		.08		.08
Slightly Weathered		\$.05		\$.05
<b>Special Grade Discount:</b>				
• Garlicky		\$.05		\$.05



## G Oats Additional Discounts

These tables provide the **additional discounts** for **2003** crop year **Oats**.

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Grade Discount: • Sample Grade	\$.15 for 2001 crop \$.15 for 2000 crop \$.15 for 1999 crop	\$.15 for 2003 crop \$.15 for 2002 crop \$.15 for 2001 crop
Test Weight (Pounds):		
29.5	\$.25	\$.25
29.0	.28	.28
28.5	.31	.31
28.0	.34	.34
27.5	.37	.37
27.0	.40	.40
26.5 - 26.0	.43	.43
25.5 - 25.0	.46	.46
For each whole pound or fraction of a pound under 25.0 pounds per bushel	\$.03	\$.03
Foreign Material Percent:		
4.1 - 4.5	\$.03	\$.03
4.6 - 5.0	.04	.04
5.1 - 5.5	.05	.05
5.6 - 6.0	.06	.06
6.1 - 6.5	.07	.07
6.6 - 7.0	.08	.08
7.1 - 7.5	.09	.09
7.6 - 8.0	.10	.10
8.1 - 8.5	.12	.12
8.6 - 9.0	.14	.14
9.1 - 9.5	.16	.16

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Foreign Material Percent, Contd.:		
9.6 - 10.0	\$.18	\$.18
10.1 - 10.5	.20	.20
10.6 - 11.0	.22	.22
11.1 - 11.5	.24	.24
11.6 - 12.0	.26	.26
12.1 - 12.5	.28	.28
12.6 - 13.0	.30	.30
13.1 - 13.5	.32	.32
13.6 - 14.0	.34	.34
14.1 - 14.5	.36	.36
14.6 - 15.0	.38	.38
15.1 - 15.5	.39	.39
15.6 - 16.0	.40	.40
16.1 - 16.5	.41	.41
16.6 - 17.0	.42	.42
For each half percent or fraction of a half percent over 17 percent	\$.01	\$.01

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Heat Damaged Kernels Percent:		
1.1	\$.07	\$.07
1.2	.08	.08
1.3	.09	.09
1.4	.10	.10
1.5	.11	.11
For each 10th of a percent over 1.5 percent	\$.01	\$.01

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Sound Cultivated Oats Percent:		
89.0 - 89.9	\$.10	\$.10
88.0 - 88.9	.12	.12
87.0 - 87.9	.14	.14
86.0 - 86.9	.16	.16
85.0 - 85.9	.18	.18
84.0 - 84.9	.20	.20
83.0 - 83.9	.22	.22
82.0 - 82.9	.24	.24
81.0 - 81.9	.26	.26
80.0 - 80.9	.28	.28
For each whole or fraction of a percent under 80 percent	\$.03	\$.03

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1,2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent:		
14.1	\$.03	\$.03
14.2	.04	.04
14.3	.05	.05
14.4	.06	.06
14.5	.07	.07
14.6	.08	.08
14.7	.09	.09
14.8	.10	.10
14.9	.11	.11
15.0	.12	.12
15.1	.13	.13
15.2	.14	.14
15.3	.15	.15
15.4	.16	.16
15.5	.17	.17

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1,2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent, Contd.:		
15.6	\$.19	\$.19
15.7	.21	.21
15.8	.23	.23
15.9	.25	.25
16.0	.27	.27
16.1	.29	.29
16.2	.31	.31
16.3	.33	.33
16.4	.35	.35
16.5	.37	.37
16.6	.39	.39
16.7	.41	.41
16.8	.43	.43
16.9	.45	.45
17.0	.47	.47
17.1	.49	.49
17.2	.51	.51

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1, 2003
	Per Bushel	Per Bushel
	Discount	Discount
Moisture Percent, Contd.:		
17.3	\$.53	\$.53
17.4	.55	.55
17.5	.57	.57
17.6	.59	.59
17.7	.61	.61
17.8	.63	.63
17.9	.65	.65
18.0	.67	.67
18.1	.69	.69
18.2	.71	.71
18.3	.73	.73
18.4	.75	.75
18.5	.77	.77
18.6	.79	.79
18.7	.81	.81
18.8	.83	.83
18.9	.85	.85
19.0	.87	.87
For each .5 percent or fraction thereof over 19.0 percent	\$.02	\$.02

**G Oats Additional Discounts (Continued)**

Grade or Factor Description	Effective July 1, 2002	Effective July 1,2003
	Per Bushel	Per Bushel
	Discount	Discount
Sour	\$.10	\$.10
Musty	\$.10	\$.10
Heating	\$.10	\$.10
Infested	\$.10	\$.10
Smutty	\$.10	\$.10
Bleached	\$.05	\$.05
Materially Weathered or Badly Stained	\$.10	\$.10
COFO	\$.10	\$.10